

Attorney's Docket 081468-0306882  
Client Reference: P-1741.000-US



DPW

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:  
BOB STREEFKERK ET AL.

Confirmation Number: 1907

Application No.: 10/719,683

Group Art Unit: 2851

Filed: November 24, 2003

Examiner: Della Rutledge

For: LITHOGRAPHIC APPARATUS AND DEVICE MANUFACTURING METHOD

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

### AMENDMENT/RESPONSE TRANSMITTAL

Transmitted herewith is an amendment/response for this application.

#### FEES

The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:


	CLAIMS							
	REMAINING	HIGHEST NO.						
	AFTER	PREVIOUSLY						
AMENDMENT	PAID FOR		PRESENT			RATE		ADDIT. FEE
			EXTRA					
TOTAL	50	-	53	=	0	\$ 50.00	=	\$ 0.00
INDEP.	5	-	5	=	0	\$ 210.00	=	\$ 0.00
FIRST PRESENTATION OF MULTIPLE DEP.						+		
CLAIM						\$ 370.00	=	\$ 0.00
TOTAL ADDITIONAL CLAIM FEE							\$	0.00
GRAND TOTAL							\$	0.00

#### FEE PAYMENT

Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above. A duplicate of this paper is attached.

Date: November 29, 2007

PILLSBURY WINTHROP SHAW PITTMAN LLP  
P.O. Box 10500  
McLean, VA 22102  
703 770.7794

  
JEAN-PAUL G. HOFFMAN

Reg. No. 42663



Attorney Docket: 081468-0306882

Client Reference: P-1741.000-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION OF:

BOB STREEFKERK, ET AL.

Confirmation Number: 1907

Application No.: 10/719,683

Group Art Unit: 2851

Filed: November 24, 2003

Examiner: Della Rutledge

Title: LITHOGRAPHIC APPARATUS AND DEVICE MANUFACTURING METHOD

AMENDMENT UNDER 37 C.F.R. §1.111

Mailstop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the Office Action mailed **October 9, 2007** ("Office Action"), please amend the above-identified application as follows: